

# Simultaneous Broadcast Revisited\*

Alejandro Hevia<sup>†</sup>

Dept. of Computer Science & Engineering  
University of California, San Diego,  
9500 Gilman Dr., La Jolla, California 92093, USA  
ahevia@cs.ucsd.edu

Daniele Micciancio<sup>‡</sup>

Dept. of Computer Science & Engineering  
University of California, San Diego,  
9500 Gilman Dr., La Jolla, California 92093, USA  
daniele@cs.ucsd.edu

## ABSTRACT

Simultaneous Broadcast protocols allow different parties to broadcast values in parallel while guaranteeing mutual independence of the broadcast values. In this work, we study various definitions of independence proposed in the literature by Chor, Goldwasser, Micali and Awerbuch (FOCS 1985), Chor and Rabin (PODC 1987) and Gennaro (IEEE Trans. on Parallel and Distributed Systems, 2000), and prove implications and separations among them.

In summary, we show that each definition (generalized to allow arbitrary input distributions) is characterized by a class of “achievable” input distributions such that there is a single protocol that simultaneously meets the definition for all distributions in the class, while for any distribution outside the class no protocol can possibly achieve the definition. When comparing sets of achievable distributions, the definition of Gennaro is the most stringent (followed by the Chor and Rabin one, and Chor, Goldwasser, Micali and Awerbuch as the most relaxed) in the sense that it is achievable for the smallest class of distributions. This demonstrates that the definitions of Gennaro, and Chor and Rabin are of limited applicability.

Then, we compare the definitions when restricted to achievable distributions. This time the results of our comparison rank the definitions in the opposite order, with the definition of Chor, Goldwasser, Micali and Awerbuch as the strongest one (followed by Chor and Rabin, and then Gennaro) in the sense that security according to the stronger definitions implies security according to the weaker ones. We also give examples showing that the implications are strict, i.e., there

---

\*Research supported in part by NSF grant 0313241. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.

<sup>†</sup> Alejandro Hevia is now with the Department of Computer Science, University of Chile, Chile. ahevia@dcc.uchile.cl

<sup>‡</sup> Supported also by a Sloan research fellowship.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

PODC’05, July 17-20, 2005, Las Vegas, Nevada, USA.

Copyright 2005 ACM 1-58113-994-2/05/0007 ...\$5.00.

are input distributions such that a protocol can meet the weaker definition, but fail to satisfy the stronger. The separation between the definitions of Gennaro and Chor and Rabin is particularly strong, as we show that there is a single protocol that is simultaneously secure according to Gennaro under any achievable input distribution, but does not satisfy the definition of Chor and Rabin for any non-trivial distribution. In particular, the separation holds for the special case of the uniform input distribution originally considered by the authors in their papers.

**Categories and Subject Descriptors:** F.0 [Theory of Computation]: General

**General Terms:** Security Reliability

**Keywords:** Independence, Parallel Broadcast, Secure Function Evaluation.

## 1. INTRODUCTION

Broadcast channels allow one or more senders to efficiently transmit messages to be received by all parties connected to a (physical or virtual) communication network. Broadcast is a fundamental communication primitive, both in the design of network communication protocols, and in the area of secure multiparty computation. The main security property characterizing broadcast communication is consistency: the messages received by all players as a result of a broadcast transmission operation are guaranteed to be the same. The problem of achieving consistency when implementing broadcast on top of a point to point network (commonly known as the Byzantine agreement problem) is central not only in cryptography, but also to the area of fault-tolerant distributed computation, and it has received enormous attention (e.g., [16, 18, 10, 5, 3]).

In secure multiparty computation, it is often desirable that the broadcast channel satisfies some additional properties, besides consistency. In applications where multiple senders can broadcast messages at the same time (e.g., when running in parallel many copies of a broadcast protocol with different senders), it is often important to enforce the *simultaneous* transmission of the messages, so that no sender can decide its broadcast message based on the values broadcast by the other players. This independence property plays a fundamental role in the secure multiparty computation protocol of [7] as well as many important applications (like contract bidding, coin flipping, and electronic voting schemes, as exemplified in [8, 9, 12]) where broadcast is used in a more or less direct way.

The concept of simultaneous broadcast (also called inde-

pendent broadcast) was first put forward in [7] which proposed a simulation-based definition, and presented protocols that securely implement simultaneous broadcast on top of a network which allows regular broadcast transmission operations, not necessarily satisfying the simultaneity property. The protocols in [7] require (for each simultaneous broadcast operation) a number of rounds that is linear in the number of parties. Given the importance of the simultaneous broadcast primitive, subsequent research efforts [8, 12] focused on reducing the round complexity, obtaining simultaneous broadcast protocols that run in logarithmically many [8] or even constant [12] number of rounds (the latter result achieved in the common random string model.) Unfortunately, a close inspection of [7, 8, 12] reveals that the definitions of simultaneous broadcast used in the three papers are quite different. Although, at first sight, all three definitions may appear appealing and intuitive, the technical differences among them bring up the following questions: what is the relation between the different definitions? Are they equivalent? Are they increasingly stronger or weaker? Or are they perhaps incomparable, in the sense that no one implies the other?

Motivated by the efficiency improvement achieved by [8, 12] over the original linear round protocol of [7], we investigate and compare the definitions proposed in these three papers. (More precisely, we compare their straightforward generalizations to arbitrary input distributions<sup>1</sup>.) Informally, our findings rank the original definition [7] as the strongest, and the most recent definition [12] as the weakest. Technically, we prove implications and separations showing that the original definition [7] is strictly stronger (in a precise sense to be defined) than the definition of [8], which, in turn, is strictly stronger than the latest definition of [12]. The comparison is not so straightforward because not all definitions are achievable for any input distribution, and for any pair of definitions (say, definition  $A$  and  $B$ ) it may be possible to find a protocol  $\Pi$  and a distribution  $D$  such that  $\Pi$  satisfies definition  $A$  but not definition  $B$  on input drawn according to  $D$ . So, it may seem that the definitions are incomparable. In order to properly rank the definitions, we first characterize the class of achievable input distributions for each definition. Our characterization is tight: for each definition  $A$ , we give a class of distributions  $\mathcal{D}(A)$  such that


- definition  $A$  can be achieved in a strong sense: there exists a single protocol  $\Pi$  that satisfies  $A$  for any distribution in  $\mathcal{D}(A)$
- the class  $\mathcal{D}(A)$  cannot be extended even in a weak sense: for any distribution outside  $\mathcal{D}(A)$ , no protocol can possibly satisfy definition  $A$ .

It turns out that the class of distributions associated to the three definitions form a monotonically decreasing sequence. Let  $\text{Sb}$ ,  $\text{CR}$  and  $\text{G}$  stand for the definitions given in [7], [8] and [12] respectively, and let  $\mathcal{D}(\text{Sb})$ ,  $\mathcal{D}(\text{CR})$  and  $\mathcal{D}(\text{G})$  be the corresponding classes of input distributions. We show that

$$\mathcal{D}(\text{Sb}) \supset \mathcal{D}(\text{CR}) \supset \mathcal{D}(\text{G}).$$

Armed with this characterization of the input distributions

<sup>1</sup> At the time the definitions were suggested, a prime application of simultaneous broadcast was distributed coin flipping. Apparently influenced by that, the definitions of [8, 12] were implicitly understood to be used with uniform input distributions even though no such restriction was stated on the original papers.



**Figure 1: Our results.** An arrow  $\xrightarrow{\Delta}$  from definition  $A$  to  $B$  means that any protocol that achieves definition  $A$  under all distributions in  $\Delta$  also achieves definition  $B$  under the same distributions. A broken arrow  $\not\xrightarrow{\Delta}$  from  $A$  to  $B$  indicates that the implication  $A \xrightarrow{\Delta} B$  is false.

associated to each definition, we prove implications and separations between the three definitions as follows.

We prove that definition  $\text{Sb}$  implies definition  $\text{CR}$  in the sense that for any protocol  $\Pi$ , if  $\Pi$  is  $\text{Sb}$ -Independent for every distribution  $D \in \mathcal{D}(\text{CR})$  (i.e., for any distribution for which definition  $\text{CR}$  is achievable at all), then  $\Pi$  is also  $\text{CR}$ -Independent for every such distribution. Moreover, we give a simple example showing the reverse implication does not hold true, i.e., there exists a class of input distributions (such that  $\text{Sb}$ -Independence is achievable) and a protocol  $\Pi$  such that  $\Pi$  is  $\text{CR}$ -Independent but not  $\text{Sb}$ -Independent for every distribution in that class. We conclude that  $\text{CR}$ -independence is strictly weaker than  $\text{Sb}$ -Independence.

Next we prove that definition  $\text{CR}$  implies definition  $\text{G}$  in the sense that for any protocol  $\Pi$ , if  $\Pi$  is  $\text{CR}$ -Independent for any distribution  $D \in \mathcal{D}(\text{G})$ , then  $\Pi$  is also  $\text{G}$  independent for any such input distribution. Moreover, we prove that the reverse implication is not true, i.e., there is a protocol  $\Pi$  that satisfies  $\text{G}$ -Independence for any distribution in  $\mathcal{D}(\text{G})$ , but it does not satisfy  $\text{CR}$ -Independence for any nontrivial distribution (including the uniform). We conclude that  $\text{G}$ -independence is strictly weaker than  $\text{CR}$ -Independence.

We remark that while the relation between  $\text{Sb}$ -Independence and  $\text{CR}$ -Independence was to be expected because  $\text{Sb}$  resorts to a general secure multiparty computation definitional framework, the relation between  $\text{CR}$ -Independence and  $\text{G}$ -Independence was not as clear. In particular, [12] seemed to suggest that the use of statistical notion of independence makes definition  $\text{G}$  stronger than  $\text{CR}$ , which uses a computational notion of closeness between distributions. Our results show that when restricted to an appropriate class of distributions, the relation between the two definitions is opposite to the one suggested in [12].

We also remark that while simulation-based definitions are usually stronger than other definitions, and in many other cases in cryptography definitions have been made stronger and stronger over time, to culminate with a definition based on the simulation paradigm, the simultaneous broadcast problem studied in this paper represents an interesting case in which the reverse process has occurred: the original and strong simulation-based definition has been made weaker and weaker over time in order to achieve greater efficiency. We leave it as an open problem to find a constant-round protocol (i.e., as efficient as the one of [12]) that achieves the stronger notion of  $\text{CR}$ -Independence [8] or even (and preferably)  $\text{Sb}$ -Independence [7].

USING ARBITRARY INPUT DISTRIBUTIONS: The question of whether security can be achieved under input distributions other than the uniform is not only of theoretical interest

(comparing definitions) but of very practical relevance. In many applications (like electronic voting or contract bidding), the parties' input are not necessarily uniform or independent from each other – some partial knowledge of the inputs may have leaked. More general input distributions allow us to capture these cases. As a consequence, whether or not a definition of security can be achieved under more general input distributions can determine whether or not a given solution suffices for a particular application (e.g. whether the protocols suggested in [8, 12] guarantee security in scenarios with partial knowledge of the inputs, like voting). Given that the original definitions in [8, 12] did not explicitly excluded non-uniform input distributions, we see this contribution as useful in practice. Our characterization of the distributions associated to the definitions of [8] and [12] show that those definitions are of limited applicability, as they can be achieved only for a restricted class of input distributions.

## 1.1 Related Work

In [9], Dolev et al. introduce the notion of malleability of protocols, and present definitions for non-malleable message encryption, string commitment and zero-knowledge proofs. Loosely speaking, a protocol run by honest party  $P$  on private input  $x$  is *non-malleable* if no corrupted player  $P'$  can use (transform) the execution of the protocol to generate a valid execution of the same protocol under some input  $x'$  related to  $x$ . Therefore, non-malleability does guarantee some form of independence of the private values used in different protocols. The results of [9], however, focus mostly on two-party protocols so their definitions do not capture the subtleties underlying the definition of independence of parallel broadcast protocols with more than two players. Along the same line, also in the two party setting, Liskov et al. [17] study *mutually independent commitments* whose goal is to ensure the “independence” of the committed values. They give definitions which seem to capture – in a strong sense – this property. Their definitions, however, do not immediately extend to the multiparty case.

ORGANIZATION: The paper is organized as follows. Section 2 presents some notation and terminology, and Section 3 describes the system model, including the definition of parallel broadcast. In Section 4, we present the definitions of independence existing in the literature, and in Section 5, a characterization of the sensible input distributions that can be associated to the definitions is made. Then, Section 6 presents implications and separations between the notions, and Section 7 concludes with some open problems.

## 2. PRELIMINARIES

NOTATION: Let  $n$  be a positive integer, and  $[n]$  denote the set  $\{1, \dots, n\}$ . For any set  $S \subset [n]$  and any vector  $\mathbf{x} = (x_1, \dots, x_n)$ , we denote by  $\mathbf{x}_S$  the  $|S|$ -dimensional vector formed by the elements of  $\mathbf{x}$  whose index are in  $S$ , that is,  $\mathbf{x}_S = (x_i)_{i \in S}$ . Also, let  $G$  and  $B$  two disjoint sets such that  $G \cup B = [n]$  and  $\mathbf{w}, \mathbf{z}$  two  $n$ -dimensional vectors. Then, we let  $\mathbf{w}_G \sqcup \mathbf{z}_B$  denote the  $n$ -dimensional vector formed by combining the elements of  $\mathbf{w}$  with indexes in  $G$  with the elements of  $\mathbf{z}$  with indexes in  $B$ . When clear from context, we may drop the subindex  $G$  or  $B$ , as in  $\mathbf{w}_G \sqcup \mathbf{z}$ . In such case, by convention, we assume the coordinates for  $\mathbf{z}$  are in the set  $\bar{G} = [n] \setminus G$ .

PROBABILITY DISTRIBUTIONS, ENSEMBLES AND CLASSES OF DISTRIBUTIONS: For any distribution  $\mathcal{D}$  over  $\{0, 1\}^n$  we write  $\mathbf{d} \stackrel{R}{\leftarrow} \mathcal{D}$  to denote the process of selecting an  $n$ -dimensional vector  $\mathbf{d}$  from  $\{0, 1\}^n$  according to distribution  $\mathcal{D}$ . We also denote by  $\mathcal{D}_B$ , for any  $B \subset [n]$ , the distribution induced by selecting a vector in  $\mathcal{D}$  and taking only the coordinates in set  $B$ . For simplicity, we write  $\mathcal{D}_i$  instead of  $\mathcal{D}_{\{i\}}$ . We also extend the  $\sqcup$  notation to distributions. Given two distributions  $\mathcal{D}$  and  $\mathcal{R}$  over  $n$ -bit strings, for any set  $B \subset [n]$ , we say an  $n$ -bit vector  $\mathbf{x}$  is drawn from distribution  $\mathcal{D}_B \sqcup \mathcal{R}_{\bar{B}}$  if  $\mathbf{x}$  is formed by first drawing  $\mathbf{x}_B$  from  $\mathcal{D}_B$  and then drawing  $\mathbf{x}_{\bar{B}}$  from  $\mathcal{R}_{\bar{B}}$ . Notice that for any distribution  $\mathcal{D}$  and set  $B$ ,  $\mathcal{X} \stackrel{\text{def}}{=} \mathcal{D}_B \sqcup \mathcal{D}_{\bar{B}}$  is not necessarily equal to  $\mathcal{D}$  since  $\mathcal{X}_B$  is independent from  $\mathcal{X}_{\bar{B}}$  while  $\mathcal{D}_B$  and  $\mathcal{D}_{\bar{B}}$  may be dependent.

A probability ensemble indexed by  $\mathbb{N}$  is a sequence  $\Delta = \{\mathcal{D}^{(k)}\}_{k \in \mathbb{N}}$  of probability distributions. For each value of the security parameter  $k$ , probability distribution  $\mathcal{D}^{(k)}$  assigns positive probability only to  $n$ -bit strings. We sometimes abuse notation by using  $\mathcal{D}^{(k)}$  to refer to the *random variable* that ranges over  $\{0, 1\}^n$  and that follows the corresponding distribution  $\mathcal{D}^{(k)}$ . As with distributions, given a probability ensemble  $\mathcal{D} = \{\mathcal{D}^{(k)}\}$  and a set  $B \subset [n]$ , we let  $\mathcal{D}_B = \{\mathcal{D}_B^{(k)}\}_{k \in \mathbb{N}}$  denote the ensemble consisting of the induced distributions  $\mathcal{D}_B^{(k)}$ . A class of probability ensembles (or simply, class of distributions)  $\Phi = \{\Delta^{(\ell)}\}_{\ell \in \mathbb{D}}$  is a collection of probability ensembles  $\Delta^{(\ell)}$  indexed by some (possibly uncountable) set  $\mathbb{D}$ .

ALGORITHMS AND THEIR PROBABILITIES: For any (probabilistic) algorithm  $A$ ,  $A(x)$  denotes the probability distribution of all possible outputs of running algorithm  $A$  on input  $x$ . If  $P$  is a predicate,  $A, B$  are (probabilistic) algorithms, and  $x, y$  are values, then  $\Pr[a \leftarrow A(x), b \leftarrow B(y), \dots : P(a, b, \dots)]$  denotes the probability that predicate  $P$  on input  $a, b, \dots$  is true given that  $a, b, \dots$  are the output of the ordered execution of algorithm  $A$  on input  $x$ ,  $B$  on input  $y$ , and so on. A function  $\mu(k)$  is negligible in the security parameter  $k$  if there exists a constant  $c > 0$  and infinitely many positive values of  $k$  such that  $\mu(k) < k^{-c}$ . A probability is overwhelming if it is larger than  $1 - \mu(k)$  where  $\mu(k)$  is a negligible function.

## 3. PARALLEL BROADCAST

In this section, we describe some of the basic elements used in this work. We first describe the network model and then we formalize the concept of parallel broadcast.

### 3.1 The Model

We consider a network of  $n$  probabilistic, polynomial-time (PPT) parties (also called players)  $P_1, P_2, \dots, P_n$ , where  $n \in \mathbb{N}$  is some fixed constant. Each pair of players is connected by a point-to-point communication channel. We assume there is a probabilistic, polynomial-time adversary  $A$  that statically corrupts some fixed fraction of the players (say, up to  $t$  of them) and is able to read all communication channels. The network is partially synchronous, which means parties have perfectly synchronized clocks which “tick” at discrete instants. The time interval between the  $i$ -th tick and the  $(i + 1)$ -th tick is called the  $i$ -th round. Messages sent in one round are guaranteed to be delivered in the next round. The adversary is allowed *rushing*, which means that the network delivers the messages addressed to corrupted

players instantly, so the adversary obtains those messages before deciding and sending out the messages of corrupted players for the same round. A protocol in this network is the collection of programs executed by these players.

We remark that our choice of network and adversary model is made mostly to fix ideas, since the model is rather orthogonal to the main focus of the paper, the definition of independence. Towards this end, we formalize the notion of parallel broadcast in the next section.

### 3.2 Parallel Broadcast

Intuitively, a parallel broadcast protocol is a broadcast protocol that allows all parties to broadcast values at the same time. Notice that, here, the term “parallel” refers to the property that multiple broadcast senders are allowed in the same protocol execution. The simplest instantiation of a parallel broadcast protocol is the protocol that performs  $n$  sequential executions of a standard (single-sender) broadcast protocol, where in the  $i$ -th execution party  $P_i$  acts as the sender.

Formally, assume each player  $P_i$  has an input bit  $x_i$ , and a security parameter  $k$ . (Henceforth, for simplicity, we consider the broadcast messages as bits). Consider a protocol  $\Pi$  run by the parties, at the end of which each honest party  $P_i$  outputs an  $n$ -dimensional vector  $\mathbf{B}_i = (B_{i,1}, B_{i,2}, \dots, B_{i,n}) \in \{0, 1\}^n$ . Protocol  $\Pi$  is said to implement *parallel broadcast* if it satisfies the following two properties:

- (1) **Consistency:** For any adversary  $A$ , every honest parties  $P_i$  and  $P_j$ ,  $\mathbf{B}_i = \mathbf{B}_j$  with overwhelming probability.
- (2) **Correctness:** For any adversary  $A$ , every honest parties  $P_i$  and  $P_j$ ,  $B_{i,j} = x_j$  with overwhelming probability.

The notion of parallel broadcast was introduced by Pease et al. in [18] where it was called *interactive consistency*.

For every protocol that implements parallel broadcast it is possible to associate a single value to each party as the value *announced* by the party.

**DEFINITION 3.1.** Assume parties  $P_1, \dots, P_n$  run some parallel broadcast protocol  $\Pi$  on input vector  $\mathbf{x}$  under some polynomial-time adversary  $A$ . Then, for each  $i \in \{1, \dots, n\}$ , we define the value “announced” by party  $P_i$  as the  $i$ -th bit output by any honest party  $P_k$ , namely  $W_i \stackrel{\text{def}}{=} B_{k,i}$ .<sup>2</sup> By the consistency property, the  $n$ -dimensional vector  $\mathbf{W} = (W_1, \dots, W_n)$  is well-defined with overwhelming probability. For notational convenience, we let  $\text{ANNOUNCED}_A^\Pi(\mathbf{x})$  denote vector  $\mathbf{W}$  “announced” by the parties after running protocol  $\Pi$  under adversary  $A$  on input  $\mathbf{x} \in \{0, 1\}^n$ . Similarly,  $\text{ANNOUNCED}_A^\Pi(\mathcal{X})$  denotes the induced distribution on  $\text{ANNOUNCED}_A^\Pi(\mathbf{x})$  when  $\mathbf{x}$  is chosen according to some distribution  $\mathcal{X}$ . ■

We remark that a parallel broadcast protocol does not necessarily guarantees independence of any sort – the announced values can be correlated even if the inputs are not. For example, the simplest instantiation described before (where  $n$  single-sender broadcasts are executed sequentially) satisfies both consistency and correctness but breaks independence: a dishonest last sender  $P_n$  could discard its own input and

<sup>2</sup>By convention, if a corrupted party  $P$  contributes with an invalid input or no input at all, honest parties assign the default value 0 as the bit “announced” by  $P$ .

broadcast one of the values previously heard (say, the one broadcast by party  $P_i$ ). In this case, the  $i$ -th and  $n$ -th entry in the vector of announced values will always be the equal, no matter the inputs. More sophisticated parallel protocols like the expected constant-round interactive consistency protocol of Ben-Or and El-Yaniv [1] do not guarantee independence either.

## 4. SIMULTANEOUS BROADCAST: NOTIONS OF INDEPENDENCE

Informally, a protocol  $\Pi$  is said to implement *simultaneous broadcast* (SB) if  $\Pi$  implements parallel broadcast where the values announced are “independent” of each other. Intuitively, the independence property sought must guarantee that no group of corrupted parties may announce values which may somehow depend on the values announced by any subset of the uncorrupted parties. In this section, we review some of the notions of independence previously proposed in the literature.

### 4.1 Chor, Goldwasser, Micali and Awerbuch’s definition

In their seminal paper [7], Chor et al. define simultaneous broadcast as a network property that can be *emulated* starting from a network which provides a broadcast channel. Loosely speaking, Chor et al. show how to build a “compiler” that transforms protocols in a simultaneous broadcast network into protocols in a regular (non-simultaneous) broadcast network such that whatever an adversary can do in the latter network, there exists some adversary that can do the same in the former network.

**EXTRACTING A SIMULATION-BASED DEFINITION:** We adapt the definition of [7] to the framework of secure function evaluation of [4] as follows. The case in which the parties have access to a simultaneous broadcast network is cast as the “ideal” process of Canetti’s framework [4]. There, all parties have access to a trusted third party which computes the function  $f_{SB}(\mathbf{x}) = (\mathbf{x}, \dots, \mathbf{x})$ . In the notation of [4], we call this protocol  $\text{Ideal}(f_{SB})$ . On the other hand, to capture a regular (non-broadcast) network, we consider a “real” process in which a protocol  $\Pi$  is executed in a partially synchronous network under adversary  $A$ . Here,  $\text{EXEC}_A^\Pi(k, z, \mathbf{x})$  denotes the  $(n+1)$ -dimensional vector formed by the output of adversary  $A$  and the parties after executing protocol  $\Pi$  in the real process with inputs  $z$  and  $\mathbf{x}$  respectively, and  $\text{EXEC}_S^{\text{Ideal}(f_{SB})}(k, z, \mathbf{x})$  denotes the corresponding vector of outputs after  $\text{Ideal}(f_{SB})$  is executed with ideal adversary  $S$  in the ideal process. Independence is then captured by requiring that  $\Pi$  securely implements  $f_{SB}$  in the sense of [4]. Thus, we obtain the following definition

**DEFINITION 4.1.** [Sb-Independence] Protocol  $\Pi$  achieves Sb-independence if for any PPT adversary  $A$  corrupting up to  $t < n$  parties, there exists a PPT simulator  $S$  such that, the ensembles (indexed by  $k \in \mathbb{N}$ ,  $\mathbf{x} \in \{0, 1\}^n$ , and  $z \in \{0, 1\}^*$ ),

$$\begin{aligned} \text{EXEC}_A^\Pi &\stackrel{\text{def}}{=} \left\{ \text{EXEC}_A^\Pi(k, z, \mathbf{x}) \right\} \\ \text{EXEC}_S^{\text{Ideal}(f_{SB})} &\stackrel{\text{def}}{=} \left\{ \text{EXEC}_S^{\text{Ideal}(f_{SB})}(k, z, \mathbf{x}) \right\} \end{aligned}$$

are computationally indistinguishable. ■

USING INPUT DISTRIBUTIONS: We also consider an alternative simulation-based definition which explicitly involves input distributions. This new (but equivalent) definition, described next, is called (All, Sb)-Independence.

DEFINITION 4.2.  $[(\Delta, \text{Sb})\text{-Independence}]$  Let  $\Delta$  be a class of input distribution ensembles over  $n$ -bit strings. Protocol  $\Pi$  achieves  $(\Delta, \text{Sb})$ -independence if for any PPT adversary  $A$  corrupting up to  $t < n$  parties, there exists a PPT simulator  $S$  such that for every distribution ensemble  $\mathcal{D} \in \Delta$ , the ensembles (indexed by  $k \in \mathbb{N}$ , and  $z \in \{0, 1\}^*$ )

$$\text{XEXEC}_A^\Pi \stackrel{\text{def}}{=} \left\{ \text{EXEC}_A^\Pi(k, z, \mathbf{x}) \right\} \quad (1)$$

$$\text{XEXEC}_S^{\text{ideal}(f_{SB})} \stackrel{\text{def}}{=} \left\{ \text{EXEC}_S^{\text{ideal}(f_{SB})}(k, z, \mathbf{x}) \right\} \quad (2)$$

are computationally indistinguishable when  $\mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)}$ . In this case, we say  $\Pi$  is Sb-Independent under class  $\Delta$ . If  $\Delta = \text{All}$ , the class of all input distributions over  $n$ -bit strings, then we say  $\Pi$  achieves (All, Sb)-Independence. ■

## 4.2 Chor and Rabin’s definition

Chor and Rabin [8] proposed another definition of independence. Intuitively, their definition seems to come from the following idea. Let  $A$  be an adversary not corrupting party  $P_i$ . Any computable information on the  $n - 1$  bits announced by any party other than  $P_i$  can be cast as a (polynomial-time) predicate  $R$  on those bits. After fixing the adversary, whether or not this predicate is true defines an event. Then, if the bit output by  $P_i$  is probabilistically independent of any such event, then the output of  $P_i$  is effectively oblivious (unaffected) by the actions of adversary, thus guaranteeing some independence. A formal definition follows, slightly generalized to consider input distributions. The definition of [8], which was presented in a different but equivalent formulation is obtained as a special case when the input distribution is uniform.

DEFINITION 4.3. (CR-Independence) Let  $\mathcal{D}$  be an input distribution over  $\{0, 1\}^n$ . A protocol  $\Pi$  achieves CR-independence under input distribution  $\mathcal{D}$  if, for any adversary  $A$ , all honest party  $P_i$ , all polynomial-time predicate  $R$ , the quantity

$$\left| \Pr[\mathbf{W}_i = 0] \cdot \Pr\left[R(\mathbf{W}_{\overline{\{i\}}}\right)\right] - \Pr\left[\mathbf{W}_i = 0 \wedge R(\mathbf{W}_{\overline{\{i\}}}\right)\right] \right|$$

is negligible (in  $k$ ) when  $\mathbf{W} \leftarrow \text{ANNOUNCED}_A^\Pi(\mathcal{D}^{(k)})$ . ■

## 4.3 Gennaro’s definition

The third definition of independence considered here was presented by Gennaro in [12].<sup>3</sup> Loosely speaking, a protocol achieves independence under this definition if the bit announced by each corrupted party is not correlated with the bits announced by all the honest parties. In [12], it is (implicitly) assumed the inputs to the parties follow the uniform distribution. Below, we slightly generalize the definition of [12] to consider arbitrary input distributions.

DEFINITION 4.4. (G-Independence) Let  $\mathcal{D}$  be an input distribution over  $\{0, 1\}^n$ . A protocol  $\Pi$  achieves G-independence under input distribution  $\mathcal{D}$  if, for all adversaries  $A$

<sup>3</sup> A different definition was originally described in a preliminary version [11]. Since such definition evolved into the one of [12], we do not considered it in this work.

corrupting a subset  $B$  of parties (where  $|B| = t < n$ ), for each corrupted party  $P_i$ , for all bit  $b_i \in \{0, 1\}$ , and for all vectors  $\mathbf{r}, \mathbf{s} \in \{0, 1\}^{n-t}$  that occur with non-zero probability as  $\mathcal{D}_{\overline{B}}$ , the quantity

$$\left| \Pr[\mathbf{W}_i = b_i \mid \mathbf{W}_{\overline{B}} = \mathbf{r}] - \Pr[\mathbf{W}_i = b_i \mid \mathbf{W}_{\overline{B}} = \mathbf{s}] \right|$$

is negligible (in  $k$ ) when  $\mathbf{W} \leftarrow \text{ANNOUNCED}_A^\Pi(\mathcal{D}^{(k)})$ . ■

A RELATED, SIMPLER DEFINITION: The idea behind the definition of [12] is that, the probability that a corrupted party  $P_i$  outputs a bit  $b_i$  in the probability space where honest parties end up outputting a vector  $\mathbf{r}$  must be about the same for any vector  $\mathbf{r}$ . This approach may lead to technical difficulties when proving properties of the definition over arbitrary distributions, since the definition may involve conditioning over possibly negligible events. To overcome this problem, we define a related (and possibly stronger) definition which implies Definition 4.4. The new definition, called G\*\* -Independence, is presented and shown to imply G-Independence in Appendix B. The fact that this new definition implies G-Independence will suffice to show implications and separations with respect to the other notions considered in this work.

## 5. THE ROLE OF THE INPUT DISTRIBUTIONS

The original definition of [7], although informal, is based on a general simulation paradigm and is arguably the strongest: a simultaneous broadcast protocol is a protocol that securely computes a function  $f(x_1, \dots, x_n)$  that on input  $n$  values  $x_1, \dots, x_n$  (provided by the  $n$  protocol participants) returns to each player the vector  $\mathbf{x} = (x_1, \dots, x_n)$  containing all the input values. Part of the power of this definition comes from the fact that security is required for any fixed input  $(x_1, \dots, x_n)$ . This allows to model arbitrary input probability distributions, partial information about the inputs, etc.

In contrast, the definitions proposed in [8, 12] consider a specific input distribution and are statistical in nature: motivated by coin flipping applications, the definitions of [8, 12] consider the execution of the protocol when the input values  $x_1, \dots, x_n$  are chosen independently and uniformly at random, and propose a formalization of the intuitive requirement that

- the value broadcast by any honest party is independent from all other broadcast values [8], or
- the value broadcast by any corrupted party is independent from the values broadcast by all honest parties [12].

Moreover, the notion of independence used in [8] is computational (i.e., it is only required that no polynomial time observer can detect dependencies), while the notion considered in [12] is information theoretic. Both definitions can be generalized to arbitrary input distributions, but the generalization immediately highlights the limitations of the definitions in [8, 12]: if the input values  $x_1, \dots, x_n$  are strongly correlated, then the desired (correct) output also need to be correlated, and no protocol can possibly achieve the definition. In other words, there are probability distributions for which no protocol can possibly achieve the definitions in [8, 12]. At the same time, there are trivial distributions (e.g., any singleton distribution that concentrates all proba-

bility on a single input vector) for which any protocol vacuously satisfies the definition of [8, 12]. In other words, there are distributions for which the definitions of [8, 12] are not meaningful.

In this section, we formalize this intuition and for each definition of independence, we identify the largest class of distributions under which the definition is “achievable”. More precisely, for each notion of independence, we prove there is a class of distributions under which the definition of independence can be realized – there exist a protocol that achieves the notion under such a class – but whose complement is not achievable in a strong sense: no protocol achieves the notion even for a single distribution outside the class. For any definition  $N \in \{\text{CR}, \text{G}\}$ , we say a protocol  $\Pi$  achieves  $(\Delta, N)$ -independence if  $\Pi$  achieves  $N$ -independence under every distribution in class  $\Delta$ . We start by describing the input distributions for CR-Independence in next section.

## 5.1 Distributions for CR-Independence

COMPUTATIONALLY INDEPENDENT DISTRIBUTIONS: Let  $\mathcal{X} = \{\mathcal{X}^{(k)}\}_{k \in \mathbb{N}}$  be a distribution ensemble such that every distribution  $\mathcal{X}^{(k)}$  is the product of  $n$  arbitrary but independent distributions  $X_1, \dots, X_n$  over  $\{0, 1\}$ , that is,  $\mathcal{X}^{(k)} = X_1 \times X_2 \times \dots \times X_n$ . Ensembles with distributions of this form are called *independent*. Let  $\Phi_n = \{\mathcal{X}^{(\ell)}\}_{\ell \in \mathbb{D}}$  be the class of all independent  $n$ -dimensional ensembles, indexed by some (possibly uncountable) set  $\mathbb{D}$ . Let  $\Psi_{C,n}$  be the class that contains all distributions ensembles computationally close to some distribution ensemble in  $\Phi_n$ , that is, for each  $\mathcal{D} \in \Psi_{C,n}$  there exist a distribution ensemble  $\mathcal{X}$  in  $\Phi_n$  such that  $\mathcal{D}$  is computationally close to  $\mathcal{X}$ . If  $\mathcal{D} \in \Psi_{C,n}$  we say  $\mathcal{D}$  is a *computationally independent* distribution ensemble. Note that the ensembles for the uniform and all singleton distributions are indeed independent.

ACHIEVING CR-INDEPENDENCE: It is possible to show that, if the input distributions are computationally independent then CR-independence can be achieved. The proof of this result is postponed until Section 6.1.

CLAIM 5.1. Under the assumption that enhanced trapdoor permutations exist (cf. [13, Sec. C.1]), there exists a protocol that achieves  $(\Psi_{C,n}, \text{CR})$ -independence. ■

Conversely, unless the input distribution  $\mathcal{D}$  is computationally independent, no protocol can achieve independence according to Definition 4.3. See [15] for the proof.

LEMMA 5.2. Let  $\Pi$  be any parallel broadcast protocol and let  $\mathcal{D} \notin \Psi_{C,n}$  be an input distribution ensemble. Then,  $\Pi$  does not achieve CR-independence under input distribution  $\mathcal{D}$ . ■

## 5.2 Distributions for G-Independence

LOCALLY INDEPENDENT DISTRIBUTIONS: We say distribution ensemble  $\mathcal{D}$  is *locally independent* if for all subset  $B \subset [n]$ , all string  $\mathbf{u} \in \{0, 1\}^{|B|}$ , and all string  $\mathbf{w} \in \{0, 1\}^{n-|B|}$  that occurs with non-zero probability as  $\mathcal{D}_{\overline{B}}$ , the quantity  $\left| \Pr \left[ \mathcal{D}_B^{(k)} = \mathbf{u} \mid \mathcal{D}_{\overline{B}}^{(k)} = \mathbf{w} \right] - \Pr \left[ \mathcal{D}_B^{(k)} = \mathbf{u} \right] \right|$  is negligible in the security parameter  $k$ . We denote by  $\Psi_{L,n}$  the class of all locally independent distribution ensembles.

ACHIEVING G-INDEPENDENCE: It is possible to show that G-independence can be achieved under locally independent

inputs. Again, the proof of this result is postponed until Section 6.1.

CLAIM 5.3. Under the assumption that enhanced trapdoor permutations exist (cf. [13, Sec. C.1]), there exists a protocol that achieves  $(\Psi_{L,n}, \text{G})$ -independence. ■

On the other hand, the following result shows that no protocol is G-independent under input distributions which are not locally independent. The proof appears in [15].

LEMMA 5.4. Let  $\Pi$  be any parallel broadcast protocol and  $\mathcal{D} \notin \Psi_{L,n}$  be an input distribution. Then,  $\Pi$  does not achieve G-independence under input distribution  $\mathcal{D}$ . ■

## 5.3 Distributions for Sb-Independence

In this section, we show that Sb-Independence can be achieved under any input distribution. We first notice that Sb-Independence under class Singleton and (All, Sb)-Independence are equivalent. Then, we recall the results by Yao and (independently) by Goldreich et al. [19, 14] which present protocols that securely implement any function. In particular, these protocols securely implement  $f_{\text{SB}}$ . By observing that such protocols work for any fixed input, we then have

COROLLARY 5.5. [19, 14] Under the assumption that enhanced trapdoor permutations exist (cf. [13, Sec. C.1]), there exists a protocol that achieves Sb-independence for any input distribution. ■

## 5.4 Relations between Distributions

We introduce some notation first. Let Singleton be the class of all singleton input distribution ensembles. That is, for each string  $\alpha \in \{0, 1\}^n$ , the distribution  $\mathcal{D}_\alpha = \{\mathcal{D}_\alpha^{(k)}\}_{k \in \mathbb{N}}$  is in Singleton if for every  $k$ ,  $\mathcal{D}_\alpha^{(k)}$  assigns probability one to the string  $\alpha$ . Let Uniform be the class whose only element is the uniform distribution ensemble, and let All be the class of all input distribution ensembles over  $n$ -bit strings. For notational convenience, in the rest of the paper, we denote by  $\mathcal{D}(N)$  the class of distributions associated to definition  $N$ , that is,  $\mathcal{D}(\text{CR}) \stackrel{\text{def}}{=} \Phi_{C,n}$ ,  $\mathcal{D}(\text{G}) \stackrel{\text{def}}{=} \Phi_{L,n}$ , and  $\mathcal{D}(\text{Sb}) \stackrel{\text{def}}{=} \text{All}$ .

The following claim shows that the input distributions under which G, CR, and Sb are achievable are strictly contained in the same order. All classes also contain the class of all singleton distributions and the class of the uniform distribution. The proofs are easy and therefore omitted.

CLAIM 5.6. Singleton, Uniform  $\subsetneq$   $\mathcal{D}(\text{G}) \subsetneq$   $\mathcal{D}(\text{CR}) \subsetneq$   $\mathcal{D}(\text{Sb})$ . ■

## 6. IMPLICATIONS AND SEPARATIONS

In this section, we compare the definitions of independence of [8, 12] with the simulation-based definition. We say a distribution is *trivial* for notion  $N$  if every protocol achieves  $N$ -independence under that input distribution. Also, a class is trivial for notion  $N$  if every protocol achieves  $N$ -Independence under all distributions in the class. Our first implication shows that any protocol that achieves Sb-Independence must achieve CR-Independence for all achievable distributions. The proof is in Appendix A.1.

LEMMA 6.1. For every protocol  $\Pi$ , if  $\Pi$  achieves  $(\mathcal{D}(\text{CR}), \text{Sb})$ -Independence then  $\Pi$  also achieves  $(\mathcal{D}(\text{CR}), \text{CR})$ -Independence. ■

Similarly, all protocols that achieve CR-Independence under all distributions for which G-Independence is achievable must indeed achieve G-Independence under the same class. See Appendix A.2 for the proof.

LEMMA 6.2. For every protocol  $\Pi$ , if  $\Pi$  achieves  $(\mathcal{D}(\mathbf{G}), \text{CR})$ -Independence then  $\Pi$  also achieves  $(\mathcal{D}(\mathbf{G}), \mathbf{G})$ -Independence. ■

SEPARATIONS: At this point, we look into whether the definitions are equivalent when restricted to achievable input distributions. Proposition 6.3 shows this is not the case. There are distributions for which the definition of [8] always holds no matter the protocol, but that this cannot happen with Sb-Independence.

PROPOSITION 6.3. The class Singleton is trivial for CR independence but not trivial for Sb independence. ■

It is also possible to show that the definitions of [8] and [12] are not equivalent, but instead that G-independence is strictly weaker than CR-independence.

LEMMA 6.4. There exists a protocol  $\Pi_G$  which achieves  $(\mathcal{D}(\mathbf{G}), \mathbf{G})$ -independence but does not achieve CR-independence for any input distribution in  $\mathcal{D}(\mathbf{G})$ . In particular,  $\Pi_G$  is G-Independent for the uniform distribution, but not CR-Independent for the uniform distribution. ■

PROOF. We show a protocol implementing parallel broadcast that, even though it satisfies Definition 4.4 (i.e., the notion of simultaneous broadcast of [12]), it violates Definition 4.3 (i.e., the definition of independence of [8]). The “flawed” protocol  $\Pi_G$  uses a subprotocol  $\Theta$  which essentially performs a simultaneous broadcast *unless* two corrupted parties misbehave in a very controlled manner – by setting some auxiliary input bit to 1. In such case, protocol  $\Theta$  reveals some information about the honest parties’ inputs to two corrupted parties. The leakage of information is done in such a way that the output of each single corrupted party is *not* correlated to the outputs of honest parties, but the *combined* outputs are.

We describe protocol  $\Theta$  first. Protocol  $\Theta$  is a  $n$ -party protocol that securely implements function  $g(\mathbf{v})$  on input  $\mathbf{v} = (v_1, \dots, v_n)$  defined as

$$g(\mathbf{v}) \stackrel{\text{def}}{=} \left\{ \begin{array}{l} \text{First, parse each } v_i \text{ as } (x_i, b_i) \\ \text{Pick } r \stackrel{R}{\leftarrow} \{0, 1\} \text{ and set } \mathcal{L} \leftarrow \{i : b_i = 1\} \\ \text{If } |\mathcal{L}| = 2 \text{ then set } \ell_1, \ell_2 \in \mathcal{L}, \ell_1 < \ell_2, \\ \text{Otherwise set } \ell_1, \ell_2 \leftarrow 0 \\ \text{Compute } y \stackrel{R}{\leftarrow} \bigoplus_{i \notin \{\ell_1, \ell_2\}} x_i \\ \text{Set } w_i \leftarrow \begin{cases} r & \text{if } |\mathcal{L}| = 2 \text{ and } i = \ell_1 \\ r \oplus y & \text{if } |\mathcal{L}| = 2 \text{ and } i = \ell_2 \\ x_i & \text{if } i \neq \ell_1, \ell_2 \end{cases} \\ \text{Set } \mathbf{w} \leftarrow (w_1, \dots, w_n) \text{ and output} \\ \text{the } n\text{-dimensional vector } (\mathbf{w}, \mathbf{w}, \dots, \mathbf{w}) \end{array} \right.$$

For simplicity, we write the input vector  $\mathbf{v}$  as  $\mathbf{v} = (\mathbf{x}, \mathbf{b})$ , where  $\mathbf{x}, \mathbf{b} \in \{0, 1\}^n$ . We first notice that a protocol that securely implements function  $g$  can be built using known techniques (cf. [2, 14, 6]) as long as  $t < \lceil n/2 \rceil$ .

CLAIM 6.5. There exist a protocol  $\Theta$  that securely implements  $g$  (in the sense of [4]). ■

We now describe protocol  $\Pi_G$ . On private input  $x_i \in \{0, 1\}$ , each party  $P_i$  sets up an auxiliary bit  $b_i \leftarrow 0$ . Then, all

parties call subprotocol  $\Theta$  on input  $((x_1, b_1), (x_2, b_2), \dots, (x_n, b_n))$ . Let  $\mathbf{W}_i$  be the vector obtained as the output of protocol  $\Theta$  by party  $P_i$ . Each party  $P_i$  outputs  $\mathbf{W}_i$  as the final protocol result.

We show that protocol  $\Pi_G$  is *not* CR-Independent under any non-trivial input distribution. Indeed, there exists an adversary  $A^*$  such that, when protocol  $\Pi_G$  is executed on any input  $\mathbf{x}$  under adversary  $A^*$ , the sum (mod 2) of the announced bits is always zero. Adversary  $A^*$  corrupts only two parties and instructs them to set their auxiliary bits to 1. The next claim follows directly from the definition of  $g$ .

CLAIM 6.6. Assume parties have inputs chosen according to some arbitrary distribution  $\mathcal{D} \in \mathcal{D}(\mathbf{G})$ . There exists an adversary  $A^*$  such that the execution of protocol  $\Pi_G$  on input  $\mathbf{x} \in \mathcal{D}$  under adversary  $A^*$  defines a vector of announced bits  $\mathbf{W}$  satisfying  $\bigoplus_i W_i = 0$ . ■

The attack works for any non-trivial distribution, i.e., any distribution that is not statistically close to a singleton. For any such distribution, there must exist an index  $i$  such that  $1/\text{poly} < \Pr[\mathbf{W}_i = 0] < 1 - 1/\text{poly}$ . The above claim gives an adversary and a polynomial-time predicate we can use to correlate the output of the corrupted parties with the output of an honest party  $P_i$ , namely  $R(\mathbf{Z}_{\{i\}}) \stackrel{\text{def}}{=}} (\bigoplus_{j \neq i} \mathbf{Z}_j = 0)$ . Notice that the predicate holds if and only if  $P_i$  announces 0.

We now show that protocol  $\Pi_G$  achieves G-Independence for any non-trivial, locally independent input distribution  $\mathcal{D}$ . Indeed, for any adversary  $A$  that succeeds on attacking the G-Independence of  $\Pi_G$  under  $\mathcal{D}$ , we exhibit a distinguisher  $Q$  that contradicts the security of  $\Theta$  (Claim 6.5). We proceed as follows. Assume  $\Pi_G$  is not G-Independent. By Proposition B.4,  $\Pi_G$  is not  $\mathbf{G}^{**}$ -Independent. Then there is an adversary  $A$  which corrupts parties in  $B$ , an auxiliary input  $\tau$ , and a corrupted party  $P_i$ , for which there are vectors  $\mathbf{w} \in \{0, 1\}^B$ ,  $\mathbf{r}, \mathbf{s} \in \{0, 1\}^{\overline{B}}$ , such that

$$\left| \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k, \tau)}^{\Pi_G}(\mathbf{w} \sqcup \mathbf{r}) : \mathbf{W}_i = 1 \right] - \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k, \tau)}^{\Pi_G}(\mathbf{w} \sqcup \mathbf{s}) : \mathbf{W}_i = 1 \right] \right|$$

is not negligible. By a hybrid argument, we can assume  $\mathbf{r}$  and  $\mathbf{s}$  differ in a single bit, the  $\ell$ -bit, so  $r_\ell \neq s_\ell$ , and w.l.o.g,  $r_\ell = 0$  and  $s_\ell = 1$ . The above adversary gives us a procedure to guess the input bit used by honest party  $P_\ell$  in protocol  $\Theta$  as long as the inputs vector for the remaining parties is equal to  $\mathbf{w} \sqcup \mathbf{r}_{\overline{B \setminus \{\ell\}}}$ . Indeed, starting from  $A$  we show how to build an adversary  $A'$  for  $\Theta$ , such that for any ideal-process adversary  $S$  for  $\text{Ideal}(g)$ , there exist a distinguisher  $Q$ , an auxiliary input  $z'$ , an input vector  $\mathbf{v}' = (\mathbf{x}', \mathbf{b}')$ , such that the quantity

$$\left| \Pr \left[ Q(1^k, z', \mathbf{v}', \text{EXEC}_{A'}^\Theta(k, z', \mathbf{v}')) = 1 \right] - \Pr \left[ Q(1^k, z', \mathbf{v}', \text{EXEC}_S^{\text{Ideal}(g)}(k, z', \mathbf{v}')) = 1 \right] \right|$$

is not negligible. Adversary  $A'$  is simple. It corrupts the same parties as  $B$ , and works as follows. On input  $(\mathbf{x}_B, \mathbf{b}_B)$ ,  $A'$  simply discards  $\mathbf{b}_B$  and then simulates  $A$ . We now set  $\mathbf{b}' = \mathbf{0}$  and  $z' = \tau$ . For simplicity, for any vector  $\mathbf{x} \in \{0, 1\}^n$ , let  $q_{\text{real}, \mathbf{x}}$  and  $q_{\text{ideal}, \mathbf{x}}$  denote the quantities

$$\Pr \left[ Q(1^k, z', (\mathbf{x}, \mathbf{b}'), \text{EXEC}_{A'}^\Theta(k, z', (\mathbf{x}, \mathbf{b}'))) = 1 \right] \text{ and } \Pr \left[ Q(1^k, z', (\mathbf{x}, \mathbf{b}'), \text{EXEC}_S^{\text{Ideal}(g)}(k, z', (\mathbf{x}, \mathbf{b}'))) = 1 \right]$$

respectively. It remains to show a distinguisher algorithm  $Q$  that works with good probability. Our algorithm  $Q$  takes as input a security parameter  $k \in \mathbb{N}$ , an auxiliary string  $z \in \{0, 1\}^*$ , a vector  $\mathbf{v} = (\mathbf{x}, \mathbf{b}) \in \{0, 1\}^n \times \{0, 1\}^n$ , and a string  $Z$  drawn either from distribution  $\text{EXEC}_{A'}^{\Theta}(k, z, \mathbf{v})$  or distribution  $\text{EXEC}_S^{\text{ideal}(g)}(k, z, \mathbf{v})$ . Thus, on input  $(1^k, z, (\mathbf{x}, \mathbf{b}), Z)$ , algorithm  $Q$  first extract the corrupted set  $B$  and the unique vector  $\mathbf{W} = (W_1, \dots, W_n)$  of announced values from transcript  $Z$ . Then, it simply outputs 1 if  $(W_i = W_\ell)$ , and 0 otherwise. Let  $\mathbf{x}^r = \mathbf{w} \sqcup \mathbf{r}$  and  $\mathbf{x}^s = \mathbf{w} \sqcup \mathbf{s}$ . By definition of distinguisher  $Q$  and adversary  $A'$ , in the real model we have that

$$\begin{aligned} q_{\text{real}, \mathbf{x}^s} &= \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k, \tau)}^{\Pi_G}(\mathbf{x}^s) : \mathbf{W}_i = 1 \right] \\ q_{\text{real}, \mathbf{x}^r} &= \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k, \tau)}^{\Pi_G}(\mathbf{x}^r) : \mathbf{W}_i = 0 \right] \end{aligned}$$

In the ideal model, on the other hand, the adversary  $S$  has access only to  $\mathbf{x}_B = \mathbf{w}$ , and therefore  $q_{\text{ideal}, \mathbf{x}^r} = 1 - \Pr[S(\mathbf{w}; \tau)_i = 1]$  and  $q_{\text{ideal}, \mathbf{x}^s} = \Pr[S(\mathbf{w}; \tau)_i = 1]$ . Combining the above equations, we obtain

$$\begin{aligned} &|q_{\text{real}, \mathbf{x}^s} - q_{\text{ideal}, \mathbf{x}^s}| + |q_{\text{real}, \mathbf{x}^r} - q_{\text{ideal}, \mathbf{x}^r}| \\ &\geq |q_{\text{real}, \mathbf{x}^s} - q_{\text{real}, \mathbf{x}^r} - (q_{\text{ideal}, \mathbf{x}^r} + q_{\text{ideal}, \mathbf{x}^s})| \\ &= \left| \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k, \tau)}^{\Pi_G}(\mathbf{x}^s) : \mathbf{W}_i = 1 \right] \right. \\ &\quad \left. - \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k, \tau)}^{\Pi_G}(\mathbf{x}^r) : \mathbf{W}_i = 1 \right] \right| \end{aligned}$$

which is not negligible by the  $\mathbf{G}^{**}$ -Independence. Therefore, for either input  $\mathbf{x}' = \mathbf{x}^s$  or input  $\mathbf{x}' = \mathbf{x}^r$ , the quantity  $|q_{\text{real}, \mathbf{x}'} - q_{\text{ideal}, \mathbf{x}'}|$  is not negligible. This concludes the proof of the lemma.  $\square$

We remark that the previous lemma indicates that  $\mathbf{G}$ -Independence is not only weaker than the other definitions, but also rather unsatisfactory. Indeed, by following  $\mathbf{G}$ -Independence, we may deem protocols like  $\Pi_G$  “secure”, when in reality they fail to provide even a very intuitive notion of independence – namely the one that requires the announced bits *do not always* sum 0. We stress the above result holds even for the uniform distribution.

## 6.1 Feasibility of CR and $\mathbf{G}$ independence

At this point, we have all the tools needed to prove the feasibility results for CR and  $\mathbf{G}$ -Independence, namely that there exist protocols that achieve  $(\mathcal{D}(\text{CR}), \text{CR})$ -Independence as well as  $(\mathcal{D}(\mathbf{G}), \mathbf{G})$ -Independence. Indeed, Corollary 5.5 together with Claim 5.6 and the results of this section provide concise proofs for Claim 5.1 and Claim 5.3. Claim 5.1 follows from the existence of a protocol achieving  $(\mathcal{D}(\text{Sb}), \text{Sb})$ -independence (by Corollary 5.5), and that  $(\mathcal{D}(\text{CR}), \text{Sb})$ -independence implies  $(\mathcal{D}(\text{CR}), \text{CR})$ -Independence. Claim 5.3 is proved analogously.

## 7. OTHER ISSUES

**EFFICIENT  $\text{Sb}$ -INDEPENDENT PROTOCOLS:** An interesting open problem is to find a constant round protocol (i.e., as efficient as the one of [12]) for simultaneous broadcast that achieves the stronger notion of CR-Independence [8] or even (and preferably)  $\text{Sb}$ -Independence [7].

## 8. REFERENCES

- [1] M. Ben-Or and R. El-Yaniv. Resilient-optimal interactive consistency in constant time. *Distributed Computing*, 16(4), 2003.

- [2] M. Ben-Or, S. Goldwasser, and A. Wigderson. Completeness theorems for noncryptographic fault-tolerant distributed computations. In *Proceedings of the 20th Annual ACM Symposium on Theory of Computing*, pages 1–10. ACM Press, 1988.
- [3] C. Cachin, K. Kursawe, F. Petzold, and V. Shoup. Secure and efficient asynchronous broadcast protocols. In *Advances in Cryptology – CRYPTO ' 2001*, volume 2139 of *LNCS*, pages 524–541. Springer-Verlag, 2001.
- [4] R. Canetti. Security and composition of multiparty cryptographic protocols. *Journal of Cryptology*, 13(1):143–202, 2000.
- [5] R. Canetti and T. Rabin. Fast asynchronous Byzantine agreement with optimal resilience (extended abstract). In *Proceedings of the 25th Annual ACM Symposium on the Theory of Computing*, pages 42–51, 1993.
- [6] D. Chaum, C. Crepeau, and I. Damgård. Multiparty unconditional secure protocols. In *Proceedings of the 20th Annual ACM Symposium on Theory of Computing*, pages 11–19. ACM Press, 1988.
- [7] B. Chor, S. Goldwasser, S. Micali, and B. Awerbuch. Verifiable secret sharing and achieving simultaneity in the presence of faults. In *Proceedings of the 26th Annual Symposium on Foundations of Computer Science*, pages 383–395. IEEE Computer Society Press, 1985.
- [8] B. Chor and M. O. Rabin. Achieving independence in logarithmic number of rounds. In *Proceedings of the 6th Annual ACM Symposium on Principles of Distributed Computing*, pages 260–268. ACM Press, 1987.
- [9] D. Dolev, C. Dwork, and M. Naor. Nonmalleable cryptography. *SIAM Journal on Computing*, 30(2):391–437, Apr. 2001.
- [10] P. Feldman and S. Micali. Byzantine agreement in constant expected time (and trusting no one). In *Proceedings of the 26th Annual Symposium on Foundations of Computer Science*, pages 267–276. IEEE Computer Society Press, 1985.
- [11] R. Gennaro. Achieving independence efficiently and securely. In *Proceedings of the 14th Annual ACM symposium on Principles of Distributed Computing*, pages 130–136. ACM Press, 1995.
- [12] R. Gennaro. A protocol to achieve independence in constant rounds. *IEEE Transactions on Parallel and Distributed Systems*, 11(7):636–647, July 2000.
- [13] O. Goldreich. *Foundations of Cryptography: Basic Tools (Appendix)*. Cambridge University Press, 2001.
- [14] O. Goldreich, S. Micali, and A. Wigderson. How to play any mental game — A completeness theorem for protocols with honest majority. In *Proceedings of the 19th Annual ACM Symposium on Theory of Computing*, pages 218–229. ACM Press, 1987.
- [15] A. Hevia and D. Micciancio. Simultaneous broadcast revisited. Full version of this work, 2005. Available from <http://www.cse.ucsd.edu/~ahavia/publications/hm-podc05.html>.
- [16] L. Lamport, R. Shostak, and M. Pease. The Byzantine generals problem. *ACM Transactions on Programming Languages and Systems*, 4(3):382–401, July 1982.
- [17] M. Liskov, A. Lysyanskaya, S. Micali, L. Reyzin, and A. Smith. Mutually independent commitments. In *Advances in Cryptology – ASIACRYPT'01*, LNCS. Springer-Verlag, 2001.
- [18] M. Pease, R. Shostak, and L. Lamport. Reaching agreements in the presence of faults. *Journal of the ACM*, 27(2):228–234, Apr. 1980.
- [19] A. C.-C. Yao. How to generate and exchange secrets. In *Proceedings of the 27th Annual Symposium on Foundations of Computer Science*, pages 162–167. IEEE Computer Society Press, 1986.

## APPENDIX

### A. PROOFS

#### A.1 Proof of Lemma 6.1

**PROOF LEMMA 6.1.** Assume parallel broadcast protocol  $\Pi$  is not CR-independent for some input distribution  $\mathcal{D} \in \mathcal{D}(\text{CR})$ . Then, there exists an adversary  $A$ , honest party  $P_\ell$ , and a polynomial-time predicate  $R$  such that the quantity defined in Definition 4.3 is not negligible under input dis-

tribution  $\mathcal{D}$ . We show how to transform  $A$ ,  $R$  and  $\mathcal{D}$ , into an adversary  $A'$ , and an algorithm  $T$  such that  $\Pi$  is not  $(\mathcal{D}(\text{CR}), \text{Sb})$ -independent. Details follow.

First, since  $\Pi$  is not CR-independent under input distribution  $\mathcal{D} \in \mathcal{D}(\text{CR})$ , there must exist an adversary  $A$  (corrupting players in  $B \subset [n]$ ), an honest party  $P_i$ , and a polynomial-time computable predicate  $R$  such that there exists constant  $c > 0$  and infinitely many values of  $k$  for which (w.l.o.g.)

$$\Pr \left[ \mathbf{W}_\ell = 1 \wedge R(\mathbf{W}_{\overline{\{\ell\}}}) \right] - \Pr[\mathbf{W}_\ell = 1] \cdot \Pr \left[ R(\mathbf{W}_{\overline{\{\ell\}}}) \right] \geq k^{-c} \quad (3)$$

Now, let adversary  $A'$  be identical to  $A$ . We build distinguisher  $T$  from predicate  $R$  as follows: On input  $(1^k, z, \mathbf{x}, \tau)$  distinguisher  $T$  extracts a unique  $\mathbf{W}$  from transcript  $\tau$ . Then,  $T$  outputs 1 if  $(\mathbf{W}_\ell = 1 \text{ and } R(\mathbf{W}_{\overline{\{\ell\}}}) = 1)$  and 0 otherwise.

Algorithm  $T$  is polynomial-time since  $R$  is so. It remains to prove that  $T$  successfully distinguishes ensembles  $\text{XEXEC}_{A'}^\Pi$  and  $\text{XEXEC}_S^{\text{ideal}(f_{SB})}$  (as defined in equations (1) and (2)) when the input distribution is  $\mathcal{D}$ .

Let  $S$  be an ideal process adversary (simulator). We denote by  $S(\mathbf{x}_B; z)$  the  $|B|$ -dimensional vector given by simulator  $S$  to function  $f_{SB}$  (in the ideal world) as the input corresponding to corrupted parties. String  $z$  is the auxiliary input of  $S$ . Let  $\Pr_1[E]$  be the probability of event  $E$  under the case  $\mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)}$  and  $\mathbf{W} \leftarrow \text{ANNOUNCED}_A^\Pi(\mathbf{x})$ , and  $\Pr_0[E]$  be the probability of event  $E$  under the choice  $\mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)}$  and  $\mathbf{W} \leftarrow \mathbf{x}_{\overline{B}} \sqcup S(\mathbf{x}_B)$ . Let  $p_1$  and  $p_0$  denote the quantities

$$\Pr \left[ \mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)} : T(1^k, z, \mathbf{x}, \text{EXEC}_{A'}^\Pi(k, z, \mathbf{x})) = 1 \right] \text{ and} \\ \Pr \left[ \mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)} : T(1^k, z, \mathbf{x}, \text{EXEC}_S^{\text{ideal}(f_{SB})}(k, z, \mathbf{x})) = 1 \right] \\ \text{respectively. Then,}^4$$

$$p_1 = \Pr_1 \left[ \mathbf{W}_\ell = 1 \wedge R(\mathbf{W}_{\overline{\{\ell\}}}) = 1 \right] \\ p_0 = \Pr_0 \left[ \mathbf{x}_\ell = 1 \wedge R(\mathbf{x}_{\overline{B} \setminus \{\ell\}} \sqcup S(\mathbf{x}_B; z)) = 1 \right]$$

At this point, we use that  $\mathcal{D}$  is computationally independent. Let  $\mathcal{X} \stackrel{\text{def}}{=} \mathcal{D}_{\overline{\{\ell\}}} \sqcup \mathcal{D}_\ell$ . By a hybrid argument, we assume  $\mathcal{X} \in \Phi_n$ . Then, there exists a negligible function  $\epsilon(k)$  such that  $|\Pr[F(\mathcal{D}^{(k)}) = 1] - \Pr[F(\mathcal{X}^{(k)}) = 1]| < \epsilon(k)$  for any probabilistic polynomial-time distinguisher  $F$ , in particular  $F(\mathbf{Z}) \stackrel{\text{def}}{=} (\mathbf{Z}_\ell = 1 \wedge R(\mathbf{Z}_{\overline{B} \setminus \{\ell\}} \sqcup S(\mathbf{Z}_B; z)) = 1)$ . Therefore, the quantity  $p_0 - \epsilon(k)$  is upper bounded by

$$\Pr \left[ \mathbf{u} \stackrel{R}{\leftarrow} \mathcal{X}^{(k)} : \mathbf{u}_\ell = 1 \wedge R(\mathbf{u}_{\overline{B} \setminus \{\ell\}} \sqcup S(\mathbf{u}_B; z)) = 1 \right] \\ = \Pr \left[ \mathbf{u}_{\overline{\{\ell\}}} \stackrel{R}{\leftarrow} \mathcal{D}_B^{(k)} : R(\mathbf{u}_{\overline{B} \setminus \{\ell\}} \sqcup S(\mathbf{u}_B; z)) = 1 \mid \mathbf{u}_\ell = 1 \right] \\ \cdot \Pr \left[ \mathbf{u}_\ell \stackrel{R}{\leftarrow} \mathcal{D}_\ell^{(k)} : \mathbf{u}_\ell = 1 \right] \\ = \Pr_0 \left[ R(\mathbf{x}_{\overline{B} \setminus \{\ell\}} \sqcup S(\mathbf{x}_B; z)) = 1 \right] \cdot \Pr_0[\mathbf{W}_\ell = 1] \\ < \Pr_1 \left[ R(\mathbf{W}_{\overline{\{\ell\}}}) \right] \cdot \Pr_0[\mathbf{W}_\ell = 1]$$

We justify last inequality as follows: (a) if  $\Pr_1 \left[ R(\mathbf{W}_{\overline{\{\ell\}}}) \right] <$

<sup>4</sup>In the rest of the proofs in this paper, for simplicity, we assume that  $\mathbf{W}_\ell = \mathbf{x}_\ell$  with probability one for all uncorrupted  $P_\ell$ . The cases when the equality holds with overwhelming probability are analogous, although slightly more involved.

$\Pr_0 \left[ R(\mathbf{W}_{\overline{\{\ell\}}}) \right]$  then it suffices to consider the negated predicate  $\overline{R}$  instead of  $R$ , and (b) any adversary  $A$  cannot use the simulator  $S$ 's strategy otherwise  $A$  would contradict (3) since  $\mathcal{D} \in \mathcal{D}(\text{CR})$ . Also, by the correctness of  $\Pi$ ,  $\mathbf{W}_i = \mathbf{x}_i$  for all honest  $i \in \overline{B}$ . Combining the above equations with (3), we obtain  $p_1 - p_0 > \Pr_1 \left[ \mathbf{W}_\ell = 1 \wedge R(\mathbf{W}_{\overline{\{\ell\}}}) = 1 \right] - \Pr_1 \left[ R(\mathbf{W}_{\overline{\{\ell\}}}) \right] \cdot \Pr_1[\mathbf{W}_\ell = 1] - \epsilon(k) > k^{-c'}$  for some constant  $c' > 0$  and infinitely many values of  $k$ .  $\square$

## A.2 Proof of Lemma 6.2

PROOF LEMMA 6.2. Let  $\Pi$  be a parallel broadcast protocol. Assume  $\Pi$  is not G-Independent under some distribution  $\mathcal{D}$  in  $\mathcal{D}(\text{G})$ . We want to prove that there exist a distribution  $\mathcal{D}'$  in  $\mathcal{D}(\text{G})$  under which  $\Pi$  is not CR-Independent. By Proposition B.4, if  $\Pi$  does not achieve G-Independence under distribution  $\mathcal{D}$ , then  $\Pi$  is not G\*\*-Independent. Therefore, there exists a polynomial-time adversary  $A$  corrupting set  $B \subset [n]$ , a string  $z \in \{0, 1\}^*$ ,  $i \in B$ , and vectors  $\mathbf{w} \in \{0, 1\}^B$ ,  $\mathbf{r}, \mathbf{s} \in \{0, 1\}^{\overline{B}}$  such that the quantity

$$\left| \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathbf{w} \sqcup \mathbf{r}) : \mathbf{W}_i = 1 \right] - \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathbf{w} \sqcup \mathbf{s}) : \mathbf{W}_i = 1 \right] \right|$$

is not negligible. By a hybrid argument, we can assume  $\mathbf{r}$  and  $\mathbf{s}$  differ on a single bit, the  $\ell$ -th one, so  $\mathbf{r}_{B \setminus \{\ell\}} = \mathbf{s}_{B \setminus \{\ell\}}$ . W.l.o.g.  $\mathbf{r}_\ell = 0$  and  $\mathbf{s}_\ell = 1$ .

We build a new adversary  $A'$  identical to  $A$  and fix the honest player  $P_\ell$ . We also define the predicate  $R(\mathbf{Z}_\ell) \stackrel{\text{def}}{=} (\mathbf{Z}_i \stackrel{?}{=} 1)$ . Now, consider the distribution  $\mathcal{D}'$  that assigns some non-negligible probability  $p_\ell$  to the event  $\mathcal{D}'_\ell = 1$ , and probability one to  $\mathcal{D}'_\ell = (\mathbf{w} \sqcup \mathbf{r}_{\overline{B} \setminus \{\ell\}})$ . Notice that  $\mathcal{D}'^{(k)}$  is in  $\mathcal{D}(\text{G})$  but it is not trivial. Let  $\Pr_{\mathcal{D}'}[E]$  the probability of event  $E$  when  $\mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathcal{D}'^{(k)})$ . Since  $P_\ell$  is honest  $\Pr_{\mathcal{D}'}[\mathbf{W}_\ell = 1] = \Pr[\mathcal{D}'_\ell = 1] = p_\ell$ . Then,  $\Pr_{\mathcal{D}'}[R(\mathbf{W}_{\overline{\{\ell\}}}) = 1]$  equals to

$$(1 - p_\ell) \cdot \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathbf{w} \sqcup \mathbf{r}) : \mathbf{W}_i = 1 \right] \\ + p_\ell \cdot \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathbf{w} \sqcup \mathbf{s}) : \mathbf{W}_i = 1 \right]$$

On the other hand,  $\Pr_{\mathcal{D}'}[\mathbf{W}_\ell = 1 \wedge R(\mathbf{W}_{\overline{\{\ell\}}}) = 1]$  equals

$$\Pr_{\mathcal{D}'}[\mathbf{W}_\ell = 1 \wedge \mathbf{W}_i = 1] \\ = p_\ell \cdot \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathbf{w} \sqcup \mathbf{s}) : \mathbf{W}_i = 1 \right]$$

Putting it all together,

$$\left| \Pr_{\mathcal{D}'}[\mathbf{W}_\ell = 1] \cdot \Pr_{\mathcal{D}'}[R(\mathbf{W}_{\overline{\{\ell\}}}) = 1] - \Pr_{\mathcal{D}'}[\mathbf{W}_\ell = 1 \wedge R(\mathbf{W}_{\overline{\{\ell\}}}) = 1] \right| = p_\ell \cdot (1 - p_\ell) \cdot \left| \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathbf{w} \sqcup \mathbf{r}) : \mathbf{W}_i = 1 \right] - \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^\Pi(\mathbf{w} \sqcup \mathbf{s}) : \mathbf{W}_i = 1 \right] \right|$$

which is not negligible.  $\square$

## B. ALTERNATIVE CHARACTERIZATION OF G-INDEPENDENCE

In this section, we present two equivalent notions of independence, and then show they imply G-Independence. Our first definition is expressed in terms of distributions ensembles.

DEFINITION B.1. (G\*-Independence) Protocol  $\Pi$  achieves G\*-independence if for all adversaries  $A$  corrupting parties in  $B \subset [n]$  (where  $|B| = t < n$ ), for each corrupted party  $P_i$ , the ensembles (indexed by  $k \in \mathbb{N}$ ,  $\mathbf{x} \in \{0, 1\}^n$ , and  $z \in \{0, 1\}^*$ ) defined by

$$E \stackrel{\text{def}}{=} \left\{ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{x}) : \mathbf{W}_i \right\}$$

$$E_0 \stackrel{\text{def}}{=} \left\{ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{x}_B \sqcup \langle \mathbf{0} \rangle_{\overline{B}}) : \mathbf{W}_i \right\}$$

are statistically close (in the security parameter  $k$ ).  $\blacksquare$

Our second definition, although more technical, is useful when proving implications or separations between G and other notions.

DEFINITION B.2. (G\*\*-Independence) Protocol  $\Pi$  achieves G\*\*-independence if for all adversaries  $A$  corrupting parties in  $B \subset [n]$  (where  $|B| = t < n$ ), for each corrupted party  $P_i$ , for all vectors  $\mathbf{r}, \mathbf{s} \in \{0, 1\}^{\overline{B}}$ , all vectors  $\mathbf{w} \in \{0, 1\}^B$ , and all auxiliary input  $z \in \{0, 1\}^*$ , the quantity

$$\left| \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{w} \sqcup \mathbf{s}) : \mathbf{W}_i = 1 \right] \right. \\ \left. - \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{w} \sqcup \mathbf{r}) : \mathbf{W}_i = 1 \right] \right|$$

is negligible in the security parameter  $k$ .  $\blacksquare$

The two definitions are equivalent.

PROPOSITION B.3. Let  $\Pi$  be a correct parallel broadcast. Then,  $\Pi$  achieves G\*\*-Independence if and only if  $\Pi$  achieves G\*-Independence.  $\blacksquare$

PROOF.  $G^{**} \Rightarrow G^*$ : Assume  $\Pi$  is not G\*-Independent. We want to prove  $\Pi$  is not G\*\*-Independent. Indeed, if  $\Pi$  is not G\*-Independent then ensembles  $E$  and  $E_0$  must not be statistically close, and there exists  $\mathbf{x} \in \{0, 1\}^n$ ,  $k \in \mathbb{N}$ , and  $z \in \{0, 1\}^*$ , for which there exists a constant  $c > 0$  and infinitely many  $k$  such that (w.l.o.g.) the quantity

$$\Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{x}_B \sqcup \mathbf{x}_{\overline{B}}) : \mathbf{W}_i = 1 \right] \\ - \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{x}_B \sqcup \mathbf{0}_{\overline{B}}) : \mathbf{W}_i = 1 \right]$$

is lower bounded by  $k^{-c}$ . The result follows immediately from taking  $\mathbf{w} = \mathbf{x}_B$ ,  $\mathbf{r} = \mathbf{x}_{\overline{B}}$  and  $\mathbf{s} = \mathbf{0}_{\overline{B}}$ .

$G^* \Rightarrow G^{**}$ : Assume  $\Pi$  is not G\*\* independent. We want to prove  $\Pi$  is not G\*-Independent. Indeed, if  $\Pi$  is not G\*\*-Independent then there exists a vector  $\mathbf{w} \in \{0, 1\}^B$ , distinct vectors  $\mathbf{r}, \mathbf{s} \in \{0, 1\}^{\overline{B}}$ , an integer  $k \in \mathbb{N}$ , and a string  $z \in \{0, 1\}^*$ , for which there exists a constant  $c > 0$  and infinitely many  $k$  such that (w.l.o.g.) the quantity

$$\left| \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{w} \sqcup \mathbf{s}) : \mathbf{W}_i = 1 \right] \right. \\ \left. - \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{w} \sqcup \mathbf{r}) : \mathbf{W}_i = 1 \right] \right|$$

is larger than  $k^{-c}$ . For simplicity, we define  $D(\mathbf{a}) \stackrel{\text{def}}{=} \Pr \left[ \mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{a}) : \mathbf{W}_i = 1 \right]$ , for any vector

$\mathbf{a} \in \{0, 1\}^n$ . Let  $\mathbf{x} \stackrel{\text{def}}{=} \mathbf{w} \sqcup \mathbf{r}$  and  $\mathbf{x}' \stackrel{\text{def}}{=} \mathbf{w} \sqcup \mathbf{s}$ . Then, the relation above can be rewritten as  $|D(\mathbf{x}) - D(\mathbf{x}')| > k^{-c}$ . In consequence, using that  $\mathbf{x}_B = \mathbf{x}'_B = \mathbf{w}$  we have

$$|D(\mathbf{x}) - D(\mathbf{x}_B \sqcup \mathbf{0}_{\overline{B}})| + |D(\mathbf{x}') - D(\mathbf{x}'_B \sqcup \mathbf{0}_{\overline{B}})| \\ \geq |D(\mathbf{x}) - D(\mathbf{x}')| > k^{-c}$$

which implies that either  $|D(\mathbf{x}) - D(\mathbf{x}_B \sqcup \mathbf{0}_{\overline{B}})| > k^{-c}/2$  or  $|D(\mathbf{x}') - D(\mathbf{x}'_B \sqcup \mathbf{0}_{\overline{B}})| > k^{-c}/2$ , and the result follows.  $\square$

The following result shows that both G\* and G\*\*-Independence imply G-Independence for any distribution for which G can be achieved.

PROPOSITION B.4. , If a protocol  $\Pi$  achieves G\*\*-Independence then  $\Pi$  achieves G-Independence for any distribution  $\mathcal{D} \in \Psi_{L,n}$ .  $\blacksquare$

PROOF. Let  $\mathcal{D}$  be an arbitrary distribution in  $\Psi_{C,n}$  and  $\mathbf{r}, \mathbf{s} \in \{0, 1\}^{n-t}$  two strings such that the probability  $\mathcal{D}_{\overline{B}}$  equals  $\mathbf{r}$  or  $\mathbf{s}$  is not null. Also, let  $A$  be an arbitrary polynomial-time adversary that corrupt players in  $B$  ( $t = |B|$ ) and let  $i \in B$ . For fixed values of  $k \in \mathbb{N}$  and  $z \in \{0, 1\}^*$ , we denote by  $\Pr_{\mathcal{D},A}[E]$  the probability of event  $E$  under the choice  $\mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)}$  and  $\mathbf{W} \leftarrow \text{ANNOUNCED}_{A(k,z)}^{\Pi}(\mathbf{x})$ . Now, for simplicity, we define the quantities

$$P(\mathbf{a}, \mathbf{b}) \stackrel{\text{def}}{=} \Pr_{\mathcal{D},A}[\mathbf{W}_i = 1 \mid \mathbf{x}_B = \mathbf{a} \wedge \mathbf{x}_{\overline{B}} = \mathbf{b}] \\ Q(\mathbf{a}, \mathbf{b}) \stackrel{\text{def}}{=} \Pr \left[ \mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)} : \mathbf{x}_B = \mathbf{a} \mid \mathbf{x}_{\overline{B}} = \mathbf{b} \right].$$

First, notice that  $\mathbf{W}_{\overline{B}} = \mathbf{x}_{\overline{B}}$ , since all uncorrupted parties always output their inputs. Then

$$\Pr_{\mathcal{D},A}[\mathbf{W}_i = 1 \mid \mathbf{W}_{\overline{B}} = \mathbf{r}] - \Pr_{\mathcal{D},A}[\mathbf{W}_i = 1 \mid \mathbf{W}_{\overline{B}} = \mathbf{s}] \\ = \sum_{\mathbf{w} \in \{0,1\}^t} (P(\mathbf{w}, \mathbf{r}) \cdot Q(\mathbf{w}, \mathbf{r}) - P(\mathbf{w}, \mathbf{s}) \cdot Q(\mathbf{w}, \mathbf{s})) \quad (4)$$

By G\*\*-Independence, for all  $\mathbf{w}' \in \{0, 1\}^t$ , all  $\mathbf{r}', \mathbf{s}' \in \{0, 1\}^{n-t}$ ,  $|P(\mathbf{w}', \mathbf{r}') - P(\mathbf{w}', \mathbf{s}')| < \epsilon(k)$  where  $\epsilon(k)$  is some negligible function in  $k$ . Let  $P(\mathbf{w}, \mathbf{t}^*) \stackrel{\text{def}}{=} \max_{\mathbf{t}} \{P(\mathbf{w}, \mathbf{t})\}$ . Then, by definition it follows that  $P(\mathbf{w}, \mathbf{r}) \leq P(\mathbf{w}^*, \mathbf{t})$  and, by G\*\*-Independence, that  $P(\mathbf{w}, \mathbf{s}) < P(\mathbf{w}, \mathbf{t}^*) + \epsilon(k)$ . Then, plugging these in (4) we have

$$\sum_{\mathbf{w} \in \{0,1\}^t} (P(\mathbf{w}, \mathbf{r}) \cdot Q(\mathbf{w}, \mathbf{r}) - P(\mathbf{w}, \mathbf{s}) \cdot Q(\mathbf{w}, \mathbf{s})) \\ \leq \sum_{\mathbf{w}} (P(\mathbf{w}, \mathbf{t}^*) \cdot (Q(\mathbf{w}, \mathbf{r}) - Q(\mathbf{w}, \mathbf{s}))) + \epsilon(k) \quad (5)$$

Now, define  $R(\mathbf{w}, \mathbf{r}, \mathbf{s}) \stackrel{\text{def}}{=} Q(\mathbf{w}, \mathbf{r}) - Q(\mathbf{w}, \mathbf{s})$  and  $Z(\mathbf{w}) \stackrel{\text{def}}{=} \Pr \left[ \mathcal{D}_B^{(k)} = \mathbf{w} \right]$ . We claim that  $|R(\mathbf{w}, \mathbf{r}, \mathbf{s})|$  is negligible in  $k$ . Indeed, since  $\mathcal{D} \in \Psi_{L,n}$ ,

$$|R(\mathbf{w}, \mathbf{r}, \mathbf{s})| = |Q(\mathbf{w}, \mathbf{r}) - Q(\mathbf{w}, \mathbf{s})| \\ \leq \left| \Pr \left[ \mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)} : \mathbf{x}_B = \mathbf{w} \mid \mathbf{x}_{\overline{B}} = \mathbf{r} \right] - Z(\mathbf{w}) \right| \\ + \left| \Pr \left[ \mathbf{x} \stackrel{R}{\leftarrow} \mathcal{D}^{(k)} : \mathbf{x}_B = \mathbf{w} \mid \mathbf{x}_{\overline{B}} = \mathbf{r} \right] - Z(\mathbf{w}) \right| \\ < 2 \cdot \epsilon'(k) \quad (6)$$

for some negligible function  $\epsilon'(k)$ . Combining Equations (4), (5) and (6) we obtain

$$\left| \Pr[\mathbf{W}_i = 1 \mid \mathbf{W}_{\overline{B}} = \mathbf{r}] - \Pr[\mathbf{W}_i = 1 \mid \mathbf{W}_{\overline{B}} = \mathbf{s}] \right| \\ < 2 \cdot \epsilon'(k) + \epsilon(k).$$

This proves the result.  $\square$